



深圳市绿新源光电科技有限公司
Shenzhen Green New Source Lights Technology Co.,Ltd

GNSOURCE LIGHTING

YOUR LED LIGHTING PARTNER

As an OEM/ODM service provider, we highly regard the value of your new ideas, designs and product schemes.
These aspects will be kept private and completely confidential for our cooperations.

WELCOME >>

GNSOURCE



GNSOURCE



YOUR LED LIGHTING PARTNER

GNSOURCE Co., Ltd. was founded in 2016 and is located in Shenzhen, Guangdong, China. We have steadily established ourselves as an innovator in developing, designing, producing and distributing LED products. We focus on R&D and commit to developing new lighting solutions on the cutting edge of the market.

Our specialty is in exterior & interior LED lighting products and solutions for camper vans, off-road vehicles, canopies, campsites, cabinets and shelves, etc. We expand our product lines, upgrade existing products, and create customized designs based on your requests.

Our light products have been granted CE, RoHS, ISO9001 and FCC certificates, as well as the IP67 rating and above.








● CAMPING LIGHT KIT WITH DIFFUSED LENS

- Various installation methods are available
Supports magnet, screw, clip, Velcro, 3M tape mounting options for almost all application scenarios
- DIY custom design
According to your actual application scenario to combine the most suitable kit, also support custom accessories, including light strip length, line group collocation.
- Soft lighting without harshness
Powerful SMD2835 LEDs, plus white-tinted polycarbonate diffuser lens, can effortlessly illuminate large areas without being unpleasant for the eyes.
- Dimmable amber/white color modes
Switch between white, amber and warm white color modes, or tune their brightness, all with a tap of the button.
- Tough build to withstand the weather
Solid aluminum construction, sealed resin coating, thoroughly trade-tested hardware design

Composition:

- 4 x 50cm Amber/white led light bar with strong magnets
- 1 x 3m power cord
- 1 x 1-2 way splitter
- 1 x 1-3way splitter
- 1 x tri color dimmer switch
- 2 x 1.5m extension cable
- 2 x 3m extension cable
- 1 x battery clamp
- 10x velcro tapes
- 4x clips
- 4x Velcro clip
- Packaging options: nylon carry bag, neutral box, color box



CAMP LIGHTING

GNS-RT5050WAS60-2

- 2X 500mm White&Amber LED Bar Lights with Built-in Color Select Switch +Strong Magnet
- * LED Type: SMD5050
- * LED QTY: 60 LEDs/Bar
- * Input: DC12V
- * Max Power: 12W/bar for each color
- * IP67 Waterproof
- * CE/EMC Approval
- * CCT: 6000K White and Amber



- 1X 3M 4 Core Connecting Cable with 8A Fused Cigarette Lighter
- 1X DC12V Socket with Battery Clamps
- 1X 5M Quick 4 Core Connecting Cable
- 1X 1M Quick 4 Core Connecting Cable
- 1X On/Off Switch Dimmer
- 1X 2 Way Splitter Cable
- 4X Black Velcro Tapes
- 6X 150mm Black Nylon Cable Ties
- User Manual
- Black Polyester Zippered Carry Bag
- Unit Pack: Customized Printed Colored Box or Neutral Carton Only




GNS-RT5050W/A30-4

- 4X 500mm White/Amber only LED Bar Lights with Strong Magnet *
- LED Type: SMD5050
- * LED QTY: 30 LEDs/Bar
- * Input: DC12V
- * Max Power: 7W/Bar
- * IP67Waterproof
- * CE/EMC Approval
- * CCT: 6000K White



- 1X 3M DC Connecting Cable with 8A Fused Cigarette Lighter
- 1X DC12V Socket with Battery Clamps
- 2X 5M Quick DC Connecting Cable
- 2X 2.5M Quick DC Connecting Cable
- 3X On/Off Switch Dimmer
- 1X 2 Way Splitter Cable
- 1X 3 Way Splitter Cable
- 8X Black Velcro Tapes
- 10X 150mm Black Nylon Cable Ties
- User Manual
- Black Polyester Zippered Carry Bag
- Unit Pack: Customized Printed Colored Box or Neutral Carton Only



● CAMP LIGHTING

► GNS-RT5050WAS60-4

- 4X 500mm White&Amber LED Bar Lights with Built-in Color Select Switch +Strong Magnet
- * LED Type: SMD5050
- * LED QTY: 60 LEDs/Bar
- * Input: DC12V
- * Max Power: 12W/bar for each color
- * IP67 Waterproof
- * CE/EMC Approval
- * CCT: 6000K White and Amber




- 1X 3M 4 Core Connecting Cable with 8A Fused Cigarette Lighter
- 1X DC12V Socket with Battery Clamps
- 2X 5M Quick 4 Core Connecting Cable
- 2X 2.5M Quick 4 Core Connecting Cable
- 3X On/Off Switch Dimmer
- 1X 2 Way Splitter Cable
- 1X 3 Way Splitter Cable
- 8X Black Velcro Tapes
- 10X 150mm Black Nylon Cable Ties
- User Manual
- Black Polyester Zippered Carry Bag
- Unit Pack: Customized Printed Colored Box or Neutral Carton Only



► GNS-RT5050W/A30-2

- 2X 500mm White/Amber only LED Bar Lights with Strong Magnet
- * LED Type: SMD5050
- * LED QTY: 30 LEDs/Bar
- * Input: DC12V
- * Max Power: 7W/Bar
- * IP67 Waterproof
- * CE/EMC Approval
- * CCT: 6000K White



- 1X 3M DC Connecting Cable with 8A Fused Cigarette Lighter
- 1X DC12V Socket with Battery Clamps
- 1X 5M Quick DC Connecting Cable
- 1X 1M Quick DC Connecting Cable
- 1X On/Off Switch Dimmer
- 1X 2 Way Splitter Cable
- 4X Black Velcro Tapes
- 6X 150mm Black Nylon Cable Ties
- User Manual
- Black Polyester Zippered Carry Bag
- Unit Pack: Customized Printed Colored Box or Neutral Carton Only



● Inbuilt Switches Dual Color Camping Rigid Led Strip

- Dual Colour. Dimmable. Waterproof.
We've developed the world's first waterproof LED strip light with built in dimming function while retaining the our popular dual colour versility. You could say we've designed and developed the ULTIMATE strip light.
- We have engineered a revolutionary strip light that combines waterproof design and built-in dimming function, all while retaining the popular dual color versatility. Our strip light is truly the ultimate solution for any lighting needs. With a simple press of the black or amber button, you can power the light, and adjusting the brightness is as effortless as holding the button until the desired level is reached. It's truly that easy to use!
- Caravan LED lights benefits
Enjoy versatile application
LED lights are the perfect accessory for your camper trailer,RV ,Canopy and caravan due to their versatility in application. Install them directly onto your caravan, or in an awning, canopy, tailgate or even toolbox.


Input Voltage:	DC 12V, 10-16V option
Material:	Aluminum
Width:	16.5mm
Thickness:	9mm
Length:	30cm,60cm,90cm,100cm option
Emiting Color:	Red-White;Orange-White;Yellow-White;Amber-White ect
IP Rate:G	Glue Waterproof IP67
LED Source:	Epistar SMD5050
Luminuous Flux(lm):	24-26/SMD
Working temperature:	-40-+50℃
Lifespan:	50,000hours
Warranty:	3 Years
DC Cable Connector:	Waterproof or Non-waterproof choice



● Inbuilt Dimmer Switch Tri-Colour Led Strip Lights

● Specification:

Input Voltage:	DC 12V
Material:	Aluminum
Width:	16.5mm
Thickness:	9mm
Length:	30cm,60cm,90cm,100cm option
Emitting Color:	RED+WHITE+AMBER
IP Rate:	Glue Waterproof IP67
LED Source:	Epistar SMD5050 (3IN1 Chip)
Luminuous Flux(lm):	24-26/SMD
Working temperature:	-40-+50℃
Lifespan:	50,000hours
Warranty:	3 Years
Wiring :	DC plug or Bare Wiring choice



Tri-Colour. Dimmable. Waterproof.

We've developed the world's first Tri-colour waterproof LED strip light with built in dimming function while retaining the our popular Tri- colour versatility. You could say we've designed and developed the ULTIMATE strip light.

We have engineered a revolutionary strip light that combines waterproof design and built-in dimming function, all while retaining the popular tri color versatility. Our strip light is truly the ultimate solution for any lighting needs. With a simple press of the black button, you can power the light, and adjusting the brightness is as effortless as holding the button until the desired level is reached. It's truly that easy to use!



Vehicles LED lights benefits

Enjoy versatile application

LED lights are the perfect accessory for your camper trailer,RV ,Canopy and caravan due to their versatility in application. Install them directly onto your caravan, or in an awning, canopy, tailgate or even toolbox.



● Slim and Wider Profile Rigid Led Strip Lights

- Different Way of Installation
 - Screws for mounted
 - 3M for sticking where is even
 - Clips for mounted
- Soft Lighting , No dizzy
- Inbuilt dimmer and ON/OFF lights
- Any lengths we can make

● Specification:

Material:	Material:Aluminum + PC
Width:	22mm
Thickness:	12mm
Input Voltage :	DC 12V
LED Source:	Taiwan Epistar SMD5050 or 2835 choice
Luminuous Flux(lm):	24-26/SMD
Working temperature:	-25-+45°C
Lifespan:	50,000hours
Single Switch - ON/OFF lights , Inbuilt Dimmer	



● Application for :



4WD Canopy , RV Awning , Camper Trailers ,Boat ,Off-road Caravan ,Vehicles where need lighting



● Interior LED Lighting

- The most powerful auto-LED rails currently on the market! GNSOURCE High-Power LED Rails are high-quality light rails that have many uses in addition to warehouse lighting. They are mounted in factory halls, on machines, etc. and with their construction of the best components, together with an innovatively developed product, they are applicable in almost any lighting installation, as compact rails that provide plenty of light. The most powerful auto-LED light rail currently. on the market! High light quality (CRI>90) for correct color reproduction Degree of tightness: IP67 Built-in voltage regulator (10-16V/10-30V DC) Adapted end piece for completely hidden cable routing via the sunken rear end so that the rail can be mounted directly against the ceiling for direct power connection 120° light angle and with hole in end piece for easy screw mounting Beware of copies! Others often claim to have light bars of the same quality, but they typically do not have voltage regulator or LED modules of the same sublime quality as GNSOURCE's, which are IC-controlled for better light efficiency, longer life (>50,000 hours) due to optimal conditions via both temperature and current control in case of fluctuations.

Length:	300mm 500mm 1000mm			
Luminous flux:	400lm 600lm 1200lm			
Light color:	4500K, 5000K 6000k			
LED Chips:	SMD2835			
Power consumption:	max 4W Power max 6W Power max 12W Power			
supply:	+ 10-30VDC			
Connection cable:	2 meters			
Protection class:	IP67 - fully encapsulated to protect against moisture and dust surface Aluminum			
Profile :	anodized			
Dimensions (LxWxH):	304mm x20mm x10mm	504mmx20mmx10mm	1004mmx20mmx10mm	
Connection:				
Black:	-Mass			
Red:	+ 10-30VDC Scope of			
Delivery:	1x SOLIS light bar in the selected length	2x mounting clips made of stainless steel		
Warranty :	2years			



● Interior Strip Lamps 3009 SERIES

- "Only 0.35 inch / 9 mm thick (60 percent thinner than the standard under cabinet lighting*).
- Sturdy Aluminum Body. One of the best in the market for its exceptional durability.
- Simple Plug-in Installation. For most of the cases, the only tool you will need is a screwdriver for the mounting bracket.
- Saves at least 80 percent on energy.
- 12V or 24V or 10-30V ,Three different voltages are available
- This LED strip provides bright lighting for your under-cabinet lighting and for the cargo hold or cab of commercial trucks"



● Specification:

Interior Strip Lamps 3009 SERIES						
Mode	GNS-200-X	GNS-300-X	GNS-500-X	GNS-700-X	GNS-1000-X	GNS-1500-X
Product Dimension	200*30*9mm	300*30*9mm	500*30*9mm	700*30*9mm	1000*30*9mm	1500*30*9mm
Body colour	Sliver body					
lumen	400lm	500lm	700lm	1000lm	1500lm	2000lm
Meterial	PC+Aluminum					
Voltage	12V or 24V or 10-30V Choice					
LED Chips	SMD2835					
Light Color	2700-6500K					
Wattage	4W	5W	7.5W	10W	17W	20W
Cover	Clear or Frosted Choice					
Cable Length	500mm (18AWG wire)					
Waterproof	IP20					
Certificate	CE ,RoHs, FCC,					




● LED Gun Safe light

- This newly released LED light bar kit featuring plug-n-play quick installation and can be used in multiple lighting occasions, such as under counter and under cabinet lighting, display box lighting, closet lighting, step lighting etc.
- Energy Efficient LEDs
Each light bar comes with 18 pieces of high quality LED chips and delivers 150 lumens of brightness. As LED does not contain UV or IR, it is safe for art work and cool to touch.
- Easy and Flexible Install
This complete LED light kit adopts slim triangular shape, so it perfect for corner application and hiding behind doors or under counters. Each light bar has 3M tapes backing on both sides and 2 mounting ears to be fixed by screws. Every light bar comes with a female and a male connector on either ends. So they can be easily connected together without trouble. We also included 5 extension wires in the kit for long distance application. For long distance application, you can also connect another kit together with the same power adaptor.
- Manual Switch
This lighting kit has manual switch included, it can directly control by the switch in the strip, which means you don't need to wait for any time to warm up. It is very easy to operate.
- Sensor Switch
The sensor will immediately turn on the light after motion is detected under continuous power supply, and turn off automatically after 4 mins if no motion is detected. The light bar will last as long as motion is detected. Its detect range of this light bar is max 26.25ft long with 120 degree sensing angle. In low light circumstance, your movement will trigger the sensor and turn the lights on automatically.
- Tips
The extension cables are also sold separately.
The sensor needs about 20s to power up each time only after the power is cut and restored.
Recommend connect up to 6 bars at a single run.



Bar Number	4	6	6	4
Bar Length	12 inch	12 inch	12 inch	12 inch
Voltage-Out	12 volts	12 volts	12 volts	12 volts
lumens/bar	150 lm	150 lm	150 lm	150 lm
Control Mode	Motion Activated	Manual Switch	Alexa Compatible	Manual Switch
Extension Cables	12 inch x 3	12 inch x 5	12 inch x 5	12 inch x 3
Color Temperature	Daylight (5000k)	Daylight (5000k)	Daylight (5000k)	Daylight (5000k)




● LED shelf lighting

- Slim design only in 10mm height and 10mm width
- Built-in magnet backing , high quality anodized Alu-housing, smooth and nice looking
- Straight lit and 30 degree lit 2 different angles for option
- Using high quality led , smart PCB layout design to insure the high quality of light output and low heat generation
- Customized length upto 2700mm
- Sliver as standard color , black and white is available on request


Voltage:	DC 12V/DC 24V
Operating temperature :	0-45°C
Lamp life:	50,000hrs/70%
Available color:	2700K-6500K
Color rendering:	Ra>80 Ra>90
Energy efficiency:	72-80lm/W
Degree of protection :	IP20



Modle:1010




Modle:1310



● Application

- Cave lighting
- Case lighting
- Toe kicks
- Cabinet/Shelf
- Curta in/wall washing
- Backlit Glacss/Signage
- Ralings/Archiectural
- Deails Backlit mirror






● Slim and Dual Color Canopy Led Flat Light

- Ultra slim ,soft lighting ,no dizzy
- Any two colors combination or single color optional
- Touch switch & Inbuilt dimmer
- Rear wiring for better installation to hide cables
- Better for interior under cabinet , like kitchen ,display ,shelves ,safes ,closet

● Specification:

Material:	PC+Aluminum ; IP rating: IP20
Input Voltage :	DC12V or 5V choice ; Beam Angle: 120°
Driving power:	Built-in constant voltage module
LED lifespan:	More than 50 000 hours
Cable length:	500mm (flat 20AWG wire)
Dimension:	41 x 9mm (WxH)
Size :	260mm 410mm and 770mm length available
LED Source:	3014SMD (SANAN Brand)
Body Colour:	Black
Cover :	Frosted
Rear wiring and Screws mounted	




● Product pictures



● LED ceiling light

- Energy saving light - LEDs contribute to energy efficiency. It consumes lower vehicle battery power while providing effective lighting.
- Voltage range - Operating voltage DC 10-30V/12V, ideal for RV, truck, off-road, trailer, car, household, ship, navy use.
- Restaurant, bedroom, living room, conference room, office, hotel.
- High quality mask, soft light, and expansion of high light efficiency.
- Solid state light source. Long lifespan of 50000 hours.
- High quality with a 3-year warranty.

Material:	PC+die-cast aluminum
Product size:	126 * 11mm
Product Appearance Color:	Available in Black and White
IP level:	IP67
Voltage:	DC12V/DC10-30V/DC24V optional
Monochrome color temperature:	3000K 4000K 5000K 6000K available in red, yellow, blue, and green
Dual color temperature:	amber+white/red+white optional
Outlet length:	200mm
Plastic trim can be removed for installation	




● LED Dome Light

- Ultra Slim Design - Diameter 76mm, thickness only 12mm, its low profile fits limited space very well. panel light looks like a pretty disk, very functional and perfect for decorative purpose
- CRI 93, Cozy Light - Built-in high CRI 93 LED and glare-free lamp shade, evenly distributed lights gives you a peaceful and relaxing feeling
- Super Lightweight - This light fixture is manufactured from full aluminum based LED chips board and acrylic lampshade. It is very lightweight, vibration and shock resistant. Suitable for RV, boat, campervan, caravan, motorhome, van, yacht, trailer, truck, cabinet, etc.
- Easy Surface Mount - Installation is a breeze, use 2 screws to quick mount the lamp. A small wiring hole is required for the ceiling. A round cap is provided to cover the mounting screws, looks very neat and clean after installation



● Specification:

LED Dome Light	
Product Dimension:	76*12mm
Body colour	White Or Black
lumen	300lm
Meterial	PC+Aluminum
Voltage	12V or 24V
LED Chips	SMD2835
Light Color	2700-6500K,RED ,YELLOW,BLUE
Wattage	4W
Cable Length	13CM Black/Red wire
Waterproof	IP20
Certificate	CE ,RoHs, FCC,



● Dual Color LED Awning Lamp Lights 10-30V

- Amber, red and white light options: Amber light reduces bug attraction by up to 90% - nightlife without bothersome pests!
- Optional dimmer switch: Change light modes with the push of a button!
- Fine tuned high quality illumination: 120° beam spread for large area visibility; frosted lens for reduced eye sores!
- Super simple DIY installation: A few screws and a few minutes of installation work, and it is ready for adventure!
- Tough & rough build: IP66 waterproof – no need to worry about rain and dust!

Dimensions	25mm (W) x 30mm (H) x selected length (L)			
Body material	Aluminum			
Body color options	Black or white			
Lens material	UV-coated polycarbonate			
Lens property options	Clear or frosted/diffused			
Cable length	500mm			
Cable gauge	18 AWG			
LED color options	Pure white; white + red; white + amber			
Voltage input options	12V or 10 ~ 30V DC			
Light beam angle	120°			
Color temperature options	White 2700K ~ 6500K			
LED Lifespan	50,000 hours +			
Waterproof	IP66			
Length option	255mm	300mm	360mm	550mm
Rated power (single color)	1.2W	2W	3.6W	7W
Luminous flux	120lm	200lm	290lm	600lm



● Applications: Caravans, RVs, motorhomes, trailers, boats, canopies, etc.



● 45 Angled LED WORK LIGHT

- Introducing our latest 45-degree LED light, crafted to enhance your lighting setup with all the reliable features you’ve come to trust, now with a unique angled design for greater versatility.
After 9 months of development, our new 45 degree light delivers unmatched quality and performance. Here’s what makes it stand out:



- ✓ Diffused LED Lens: Experience softer, more comfortable lighting with a stylishly diffused lens that maintains brightness without harshness.
- ✓ Durable Construction: Featuring a stronger cast aluminium housing for increased heat dissipation and a premium feel.
- ✓ Next-Generation LEDs: Equipped with advanced 2835 High CRI LED technology, providing more natural and true-to-life lighting.
- ✓ Cutting-Edge Electronics: Incorporates the latest PWM electronics for improved dimming sensitivity and reliability.
- ✓ Start Battery Safe: Designed with ultra-low current draw, making it safe for use with start batteries.
- ✓ Complete Installation Kit: Includes all necessary hardware for easy installation, such as screws .
- ✓ 100% Waterproof and Sealed: IP68 certified, allowing the light to perform flawlessly in any weather conditions.
- ✓ 3-Year Replacement Warranty: Backed by a comprehensive international warranty for complete peace of mind.
- ✓ This 45-degree light redefines what you expect from LED lighting, combining innovative design with top-tier performance.

You can mount these units on places like roof racks, canopies or caravans to provide auxiliary lighting for reversing, off-road visibility, camping or working around the vehicle. The 45 degree angled beam means that you can mount them up high without any of the light output being wasted, and with an IP68 ingress protection rating, these things will handle all the dust and water you can throw at them - you can even submerge them up to 3m in water.

● Specification:

LED Type:	51 x 1W LED chips	
Lumen:	1,080 effective lumens	
Waterproof rating:	IP69K	
Function:	Touch switch Dimmable	Without Switch Dimmable
Voltage:	12VDC	10-30V DC
Current Draw	1.2A / 12V	0.6A/30V
Color Temperature:	5000K 6000K Amber+White	
Light image :	Flood Beam,45°angle with 120°spread	
Housing material :	ADC12 aluminium housing	
Lens material :	UV-coated polycarbonate	
Dimensions:	151mm (L) x 47mm (H) x 40mm (W)	
Certifications:	CE ,ROHS ,C-tick,IP69K	
Built-in Dimmer Switch mode is our advantage.		




● Vehicle Mini LED Work Lights


- Compact appearance, saving space, flexible handling and stable hang
- 12V DC and 12-24V choice
- Any two colors combination
- White and Black body choice
- Flash lighting function optional
- Widely use for any vehicles ,like Trailer ,4WD ,Truck ,Caravan, Off-Road ect

● Specification:

Part NO.:	GNS-LW80 & GNS-LW55
Product size:	80*80*34mm & 55*55*34mm
Input voltage (V):	12V DC
Rated current (V) (A):	DC13.5V:0.606±10%
Rated power (W):	6.7W & 3.6W
Number of Light Sources (PCS):	9pcs*2in1 LED chip
Rated luminous flux (lm):	540lm & 300lm
Lamp body material:	ADC12 aluminium housing UV-coated
Lens material:	Lens material:



● Product pictures




● LED ROCK LIGHT

- High-Performance LED: Provides bright, reliable illumination with a lifespan of up to 50,000 hours, ensuring long-term performance.
- IP68 / IP69K Rating: Offers the highest water and dust resistance, making it perfect for tough conditions.
- Durable Construction: Built to withstand the rigors of outdoor use and rugged environments.
- Advanced Press Dimming Function: Effortlessly adjust the brightness by simply holding the capacitive touch power button—perfect for any setting or mood.
- Cutting-Edge Electronics: Incorporates the latest PWM electronics for improved dimming sensitivity and reliability.
- Start Battery Safe: Designed with ultra-low current draw, making it safe for use with start batteries.
- Easy Installation: Comes with a rubber mounting base and includes stainless screws and bolts for a hassle-free setup.
- APPLICATIONS • Ute Canopies & Toolboxes • Under Bonnets • Marine and Boat Hulls • Rear Mounted Work Lights • Roof Racks and Awnings • Interior Lighting For Vans • Wagon Tailgate • Wheel Arches • Machine Cabins • Area Lighting for Machines • Welcome Lighting



● Specification:

	LED ROCK LIGHT			
Function	Normal			
Model	GNS-RL-X	GNS-RL-XX	GNS-RL-XSW	GNS-RL-XXSW
Product Dimension:	74mm (L) x 38mm (W) x 12mm(H)			
Body colour	Black or White body			
Meterial	PC+ ADS12 Aluminum			
Voltage	12V or 24V or 10-30V Choice			
LED Chips	High-Performance LED SMD3535			
Light Color	"Single color :2700-6500K.Red,Blue,Amber,Green Dual color :Amber+white ,Red+white"			
Cable Length	1m			
Waterproof	IP69K			
Certificate	CE ,RoHs, FCC, IP69K,C-TICK			



● LED UNDERGLOW LIGHT KIT

Aluminum Body

The car underglow lights is made of aluminum body that is great for heat dissipation & is durable. Fast cooling, strong air permeability, don't need to worry about the led chip will break after a period of use. Fully sealed with silicone IP68 rate waterproof.

4 Function

The led underglow light strip is design for 4 function: Dream Chasing Color & Red Brake Light & Yellow Turn Signal Light & White Reverse Light. Please note: The white light is not really pure white.



RF & APP Control

The dream chasing color underglow light strip is controlled by RF remote control & smartphone APP, 216 modes for choice, which make your travel cool. Adjust brightness & adjust speed & music mode is available.


Easy to install

You can use positive and negative wiring to power the strip, comes with fixing screws to fix the led strip underneath the car, can be used for cars, SUVs, vans, trucks and boats neon accent decoration . SUV extension wire: B0D8JF3BK5; RV extension wire: B0D8JCTFY3.

Wire connection: Black wire "-"; Red wire "+"; White wire "+" for backup reverse light; Yellow wire "+" for turn signal light.



● LED UNDERGLOW LIGHT KIT



● Specification:

LED UNDERGLOW LIGHT KIT		
Mode	UNDERGLOWKIT4D	UNDERGLOWKIT8D
Body colour	Black Aluminum body	
Recommended Uses For Product	Vehicle Exterior	
Included Components	"1 x Kit Screws, 1 x RF Remote Control, 2 x 47cm Aluminum Car underglow Lights, 1 x Controller Box, 2x63cm Aluminum Car underglow Lights"	1 x Kit Screws, 1 x RF Remote Control, 4 x 47cm Aluminum Car underglow Lights, 1 x Controller Box, 4x63cm Aluminum Car underglow Lights
Connectivity Technology	Bluetooth, RF	
Voltage	12V	
LED Chips	SMD5050	
Light Color	RGBIC	
Waterproof	IP68	
Certificate	CE ,RoHs, FCC,	




● LED Flexible Light Strip

- Featuring extra strong zip ties for tool-free pole mounting. The zip ties can be guided along the sides of the light strip package. Wrap the light strip around the pole of your choice and tighten it up to ensure stable mounting.

● Application: Pole stands, for vehicles and heavy machines


● Specifications

Light strip length options	190mm, 240mm or 340mm
Zip tie size	7.5mm x 1.8mm x 610mm
Cable length options	150mm or longer
Input voltage options	12V or 10 ~ 30V
Wiring connection	Bare wire (flying leads)



● MINI RECHARGEABLE CAMPING LIGHT

- Powerful, versatile lighting modes from a tiny footprint
- Diffused lens: reduced harshness for night-time reading
- Dual power package: Swappable AAA battery case + USB-C rechargeable Li-ion battery pack
- Flexible mounting options: Magnet mount for vehicle surfaces; elastic strap for campsite poles or bicycles; bottom-heavy design for tabletop use.



● Specification:

Product dimensions	66mm (L) x 50mm (W) x 50mm (H)				
Body color	Orange or others (customizable)				
Body material	ABS plastic				
Waterproof standard	IPX5				
Light colors	White + amber / white + red				
Light source	6 x SMD5730 white LEDs + 1 x SMD5730 amber/red LED				
Battery	3.7V 1200mAh Li-ion rechargeable Or 3 x AAA batteries (not included)				
Charging time	4h				
Light modes (with amber LED)	White (high)	White (medium)	White (low)	Amber	Amber (strobing)
Run time	5h	10h	50h	15h	100h



● PORTABLE BONE-CONDUCTION BLUETOOTH SPEAKER



- Powerful vibration conduction provides a unique listening experience on every different surface
- Ambient breathing lights provide a soothingly colorful atmosphere
- Bluetooth 5.1 technology provides ultra long running time and super stable audio connections
- Support for TWS pairing allows two speakers to create true stereo sound
- Easy and robust wall mounting with suction cups and magnet pads

● Specification:

Bluetooth version	Bluetooth 5.4 BR/EDR/BLE		
TWS pairing	Supported		
Speaker specs	4 Ω, 10W, Ø 33mm		
Rated power	7.5W		
Battery	Lithium polymer, 3.7V, 500mAh		
Battery range	70% volume	50% volume	Sleep
	~ 4h	~ 6h	~ 6 months
Charging hardware	Type-C, DC 5V 1A~2A		
LED lighting	Breathing pattern, ambient light		
Certifications	CE, FCC, RoHS		

Dimensions	Ø 52.5mm x 27.5mm (h)
Package dimensions	91mm x 91mm x 50mm
Package weight	0.15kg
Package contents	1 x Main unit 1 x User manual 1 x USB charging cable 1 x Suction cup 1 x Magnet pad



● Newest Design Tri Color Dimmer for Dual Color Led Lights

● Specification:

Voltage:DC5-30V	DC5-30V
Light modes:	amber,white,amber+white
Cable type:	The 3-PIN connector connects to the light bar, and the DC5521 connector connects to the POWER
Operating temperature:	-20°C to 60°C / -4°F to 140°F

Tri-Colour. Dimmable Switch.

We've developed the world's new type of Tri-colour waterproof dimmer switch that gives any GNSOURCE 5-30V powered amber/whit light the ability to produce three shades of light: cool white, warm white and amber !



It's perfect for setting a calm, happy mood in your campsite, particularly later at night. These tri-colour dimmers are easy to use, with the rotary dial replaced with four simple buttons. Best of all, they are backwards compatible with every 5-30v powered GNSOURCE amber & white camp light, including our bars, strips and tapes.





Website: www.gnsourcegroup.com

Email: info@gnsource.cn

Tel: +86-0755-23747167

Whatsapp: +86 135 4417 7311

Address: 3F 1Bld Tianhao Industrial, NO.2852 Songbai Rd, Longtcommunity ,Shiyan St ,Shenzhen,China 518108